

DIESEL FORKLIFTS

7-Series, 10.0 to 16.0 ton capacity



INTRODUCTION

OUR MISSION

We empower operators to accomplish more, while working in the toughest conditions and tightest situations. When our customers have the will, we provide the way.

BOBCAT'S HISTORY

In 1958, Melroe Manufacturing Company introduced a compact front-end loader that evolved quickly into the M400, the world's first true skid steer loader. The company soon adopted what became the worldfamous 'Bobcat' brand – and its success paved the way for the global compact equipment industry we know today.

▶ YEARS OF EXPERIENCE

In 2021, Bobcat furthered its reach by acquiring Doosan Industrial Vehicle, increasing its capacity to provide customers with comprehensive business solutions. With Doosan's expertise in material handling and warehouse equipment dating back to its inaugural forklift in 1968, the company has established a global presence, with 400 dealers across 93 countries.



▶ BOBCAT TODAY


Now, with a diversified portfolio that includes forklifts and warehouse equipment, Bobcat serves as a one-stop solution for intralogistics needs, from loading shipping containers to optimizing warehouse operations. Produced in its South Korean factory, Bobcat's material handling machines offer the precision and durability customers expect.



TOUGH, AGILE & SAFE

PREADY TO GIVE YOUR BUSINESS A LIFT

Boost your business with a diesel forklift that checks all the boxes: high-performance, powerful, and efficient engine, smooth and variable controls, and a full suite of safety features – all in a rugged, dependable machine that's easy to service, ensuring low total cost of ownership.







ULTIMATE PRODUCTIVITY

Do more every day, thanks to the high-performance yet efficient diesel engines that offer best-in-class travel and lifting speeds.

P. 6–7



▶ ALL-DAY COMFORT

Work through the shift in comfort and with less fatigue with many quality-of-life features as standard including an ergonomic seat, colour display, plenty of leg room, anti-slip plate, and more.



DRIVEN BY SAFETY

Enjoy peace of mind with the machine's excellent all-around visibility, superb stability, and a full suite of safety features. P. 10–11



▶ MAXIMUM UPTIME

Minimize the total cost of ownership with longer service intervals and high-quality, genuine Bobcat parts and consumables. These components offer excellent value for money, helping your machine run smoother and last longer.



OUTSTANDING PRODUCTIVITY





▶ POWERFUL DIESEL ENGINES

Experience outstanding performance with fuel-efficient Deutz (Tier III) or HDI (Tier IV) engines and dependable components, providing high-end torque at low engine rpm while ensuring reduced fuel consumption.

SUPERB GRADEABILITY AND DRAWBAR PULL

Leveraging the latest engine technology and optimal synchronization between the drive train and hydraulic system, our current model boasts significantly high drawbar pull and gradeability.





▶ ENHANCED PERFORMANCE AND EFFICIENCY

Experience the power of our 3-speed powershift transmission with a full electric auto-shift controller for increased capacity and superior power efficiency. Enjoy a 5% boost in fuel efficiency and optimized engine matching for better responsiveness, powerful performance, and smooth gear shifts. Plus, benefit from easy maintenance with a self-diagnosis system.

▶ FINE-TUNED POWERTRAIN

Unleash the power of productivity with our forklift's robust powertrain. Crafted with durable, high-quality components, our powertrain elevates efficiency and performance to propel your business forward.

COMFORT & CONTROLS



EASILY ADJUSTABLE SEAT & COLUMN

The premium suspension seat provides ample space for the operator, with all-day comfort during long shifts. The seat and the steering wheel column are easy to adjust to make sure every operator feels right at home in the cab.



LUXURIOUS ZEUS CAB

Experience peak comfort with the ZEUS Cab. Designed for operator ease, it features accessible switches, ergonomic design, and spacious entry. With low noise, enhanced visibility, and other convenient features such as a heater or air conditioner, this cab promises optimal comfort.



▶ FRONT- AND REAR-VIEW CAMERA

Equip your machine with front- and/or rear-view cameras that automatically feed into the in-cab display when in forward or reverse mode. This ensures the best view of your workplace without sacrificing comfort.



IN-CAB DISPLAY

Conveniently access essential information on the large 5-inch screen of your in-cab display. Easily check and control the machine's performance settings with a simple touch for on-the-go convenience.

CENTRALIZED CONTROL



All control switches are conveniently arranged in a single location for better and easier control of the machine.

CONVENIENCE PACKAGE




Deck-mounted control valve levers simplify hydraulic actuation. A convenience tray keeps paperwork and supplies organized and within reach.

▶ RADIO & MP3 PLAYER



Enjoy even the longest shifts in our ZEUS cab, equipped with a radio and MP3 player.



SAFETY IN EVERY MOVE

▶ ADVANCED PROTECTION FOR YOU AND YOUR OPERATION

Bobcat forklifts have safety embedded in their DNA. Packed with tons of features that protect your health and your investment, these machines give you peace of mind in every task, every day.

DOPERATOR SENSING SYSTEM (OSS)

The intelligent Operator Sensing System (OSS) prevents unintended forklift movement by automatically stopping the truck's travel and mast lifting functions whenever the operator leaves the seat.



BACKUP ALARM

The backup alarm emits a warning signal when the operator is driving in reverse, alerting those in the nearby vicinity.





▶ WEIGHT SCALE

With the help of an integrated weight scale, operators can prevent truck overload, keeping the workplace safer and more secure



The anti-slip step offers peace of mind when getting on and off the vehicle.






SIREN AND MICROPHONE

The siren and microphone offer a quick way to alert nearby individuals, notifying them of the truck's presence with just a press of a button.

▶ GROUND SPEED CONTROL

Setting a speed limit prevents the truck from going too fast. This limit can be customized for both forward and reverse directions.





▶ LARGE PANORAMIC AND REAR-VIEW MIRROR

The large panoramic and rear-view mirrors provide excellent visibility to the rear working area, enhancing safety while contributing to overall productivity.

▶ POWERFUL LED LIGHTS

The powerful LED lights brighten even the darkest corners of your workplace, providing clear visibility to help you stay aware and safe.





BUILT TO LAST

EXCELLENT RELIABILITY

Thanks to a powerful engine with auto-shift transmission, full floating drive axle, and shock-absorbing hydrostatic power steering, Bobcat 7-Series Diesel Forklifts are built tough to provide maximum uptime and dependability.



THERE'S NO TIME FOR DOWNTIME. **STAND UP TO EVERY TASK** THAT COMES YOUR WAY, DAY AFTER DAY.

2 YEAR WARRANTY

WARRANTY

Bobcat develops every machine to the highest standards of quality and durability. That's why our standard warranty provides 24 months or 2 000 operating hours (whichever occurs first) of coverage.







▶ PROTECTION PLUS EXTENDED WARRANTY


Enjoy total peace of mind with Protection Plus extended warranty. Providing the same level of protection as the standard warranty, Protection Plus also reflects different customer needs and expectations by offering a choice of durations and annual operating hours.

EXTENSIVE DEALER NETWORK

You can rely on our network of dealers and service partners who are always ready to help you.

BOBCAT GENUINE PARTS

Quality components delivered to our dealers guarantee that all of our equipment is built to last, withstand the toughest conditions and provide reliable performance.



MAIN SPECIFICATIONS

TECHNICAL DATA ACCORDING TO VDI 2198									
		D10	0S-7	D12	0S-7	D140S-7		D160S-7	
Emission regulation		Euro Stage III	Euro Stage IV	Euro Stage III	Euro Stage IV	Euro Stage III	Euro Stage IV	Euro Stage III	Euro Stage IV
Load capacity (kg)	Q	10 000 12 000		000	14 000		16 000		
Load center (mm)	С	600			00				
Load distance (mm)	Х	755 765 770 815							
Wheelbase (mm)	у		3 000 3 250						
Service weight (kg)		15 278	15 190	16 278	16 190	17 995 18 995		995	
Tread, front (mm)	b11	1 724 1 825							
Tread, rear (mm)	b12		18	860		1 910			
Tilt of mast/fork carriage forward/backward (°)	α/β	15 / 12							
Height, mast lowered (mm)	h1	2 815 – 4 665 2 930 – 4 870							
Free lift (mm)	h2	1 385	- 2 050	1 400	- 2 065	1 380 – 2 145			
Lift (mm)	h3				3 000 -	-6 000			
Height, mast extended (mm)	h4	4 465 – 7 665			4 670 – 7 870				
Height of overhead guard (cab) (mm)	h6	2 890			2 950				
Seat height (mm)	h7	1 825	1 455	1 825	1 455	1 885	1 526	1 885	1 526
Length to forkface (mm)	12	4 4	4 490 4 500 4 505		4 830				
Overall width (mm)	b1/b2	2 350 2 490							
Fork dimensins (thickness \times width \times length)	s, e, I	70×200×1 350 80×200×1 350		85×200	0×1 350	85×200	0×1 350		
Fork spacing (min × max)		470×2 140 470×2 290							
Ground clearance, laden, below mast (mm)	m1	270							
Ground clearance, center of wheelbase (mm)	m2	360 370							
Turning radius (mm)	Wa		4 2	4 290 4 620					
Travel speed, loaded/unloaded (km/h)		33.3 / 38.7	34 / 37	31.6 / 38.3	33 / 36	28.3 / 31.6	26 / 30	27.7 / 31.4	25 / 29
Lift speed, loaded/unloaded (mm/s)			410 / 470		400 / 470		370 / 430		360 / 430
Lowering speed, loaded/unloaded (mm/s)		430 / 410							
Drawbar pull, loaded/unloaded (kg)		8 927	9 430	8 852	9 350	10 388	10 590	10 323	10 520
Gradeability, loaded/unloaded (%)		38	42	33	36	34	36	31	32
Engine manufacturer / type		Deutz L06 2V	HI DL06P	Deutz L06 2V	HI DL06P	Deutz L06 2V	HI DL06P	Deutz L06 2V	HI DL06P
Engine power according to DIN ISO1585 (kW)		124	128.7	124	128.7	124	128.7	124	128.7
Rated speed (min ⁻¹)		2 300	2 100	2 300	2 100	2 300	2 100	2 300	2 100
Torque at 1/min (N•m)		680 / 1 600	725.7 / 1 400	680 / 1 600	725.7 / 1 400	680 / 1 600	725.7 / 1 400	680 / 1 600	725.7 / 1 40
Number of cylinders / displacement (-/cm³)		4/6/6100	4/6/5890	4/6/6100	4/6/5890	4/6/6100	4/6/5890	4/6/6100	4/6/5890

Specification values quoted in this specification sheet have been rounded.
Performance may vary depending on operating conditions.
Products and specifications are subject to improvement and change without prior notice.

(1) Mast dimensions refer to a range from the lowest to highest available mast with load backrest.

Note: Load capacities are based on the standard chassis without side shifter.


STANDARD EQUIPMENT & OPTIONS


PRODUCTIVITY	TIER III	TIER IV
DEUTZ 6.1 liter L06 2V diesel engine (166 hp)	✓	-
DOOSAN 5.9 liter DL06P diesel engine (173 hp)	-	✓
Power steering	✓	✓
Air compressor	•	•
Engine block heating system	-	•
RELIABILITY		
Oil-cooled disc brakes (ODB)	✓	✓
Dual element air cleaner	✓	✓
Precleaner	✓	✓
Full autoshift transmission	✓	✓
Rigid drive axle	✓	✓
Waterproof connectors	✓	✓
Engine guard	_	•
Reverse fan	-	•
ERGONOMICS		
Integrated instrument panel	✓	✓
Suspended leather seat	✓	√
Grammer extra suspension seat	-	•
Top cover (modular cab type A)	•	•
Full cab includes rear-view mirrors, low noise levels, electric tiltable cab, wipers, MP3 player, and sun visor	•	•
Tilting roof window	-	•
Heater	•	•
Operator fan	•	•
Air conditioner with rear condensor	•	•
Extra sound suppression	•	•
Adjustable steering column (tiltable)	•	•
Adjustable steering column (telescopic)		

OTANDARD FOUNDATION OF STREET									
STANDARD EQUIPMENT & OPTIONS									
SAFETY	TIER III	TIER IV							
Operator Sensing System (OSS)	✓	✓							
Back-up alarm	✓	✓							
Front (2) and rear (2) work LED lights	✓	✓							
Combination LED lights	✓	✓							
Panoramic rear-view mirror	✓	✓							
Additional (2) LED lights on mast	•	•							
Additional (1) LED rear light	•	•							
Strobe light	•	•							
Rear (and front) view camera (with steering angle sensor)	•	•							
Rear (blue) safety light	-	•							
Siren and microphone	•	•							
Ground speed control	-	•							
Heated side mirrors	-	•							
Weight scale	-	•							
SERVICEABILITY									
Tiltable operator compartment	✓	✓							
Lift eyes	•	•							
Electric operator compartment (with support bar)	•	•							
Centralized hydraulic measuring gauge ports	-	•							

*This list is based on factory data. Standard or optional can vary for specific countries.

- $\bullet = option$
- √ = standard
- -= not available





FINANCING OPTIONS 24, 36, OR 48 MONTH FINANCING Take advantage of 24, 36 or 48 month financing programs starting from 0% interest and improve your cashflow. Ask your dealer for the financing offers available.

340 MACHINES / 150 ATTACHMENT FAMILIES / 1 TOUGH ANIMAL



LOADERS



COMPACT TRACK LOADERS



BACKHOE LOADERS



EQUIPMENT



FORKLIFTS



TELEHANDLERS



EOUIPMENT




COMPACT EXCAVATORS



SMALL ARTICULATED LOADERS



MINI TRACK LOADER



PORTABLE GENERATORS




AIR COMPRESSORS



ATTACHMENTS







Bobcat

Doosan Bobcat EMEA, U Kodetky 1810, 263 12 Dobříš, Czech Republic